Development

Volume 112 1991

Editor in Chief

Chris Wylie (Cambridge)

European Editors

Richard Gardner (Oxford)
Walter Gehring (Basel)
Peter Lawrence (Cambridge)
Keith Roberts (Norwich)

USA Editors

Doug Melton (Harvard)
Tom Jessell (Columbia)
Gerry Rubin (Berkeley)

Editorial Advisory Board

Eileen Adamson (La Jolla)
Michael Akam (Cambridge)
Michael Bate (Cambridge)
Rosa Beddington (Edinburgh)
Marianne Bronner-Fraser (Irvine)
Clayton Buck (Wistar Institute)
Alan Colman (Birmingham)
Eric Davidson (Pasadena)
Alun Davies (London)
Françoise Dieterlen (Nogent-sur-Marne)
John Ellis (Warwick)
Gary Felsenfeld (Bethesda)
Richard Firtel (San Diego)
Joseph Frankel (Iowa)
Michael Freeling (Berkeley)
John Gerhart (Berkeley)
Peter Goodfellow (London)
Peter Gruss (Göttingen)
John Gurdon (Cambridge)
John Heath (Oxford)
Brigid Hogan (Vanderbilt)
Nigel Holder (London)
Robert Horvitz (MIT)
Phil Ingham (Oxford)
Herbert Jäckle (Munich)
Rudolph Jaenisch (Whitehead, MIT)
William Jeffery (Austin)
Martin Johnson (Cambridge)
Klaus Kalthoff (Austin)
Robert Kay (Cambridge)
Judith Kimble (Madison)
Charles Kimmel (Eugene)
Klaus Kratochwil (Salzburg)
Ruth Lehmann (Whitehead, MIT)
Julian Lewis (Oxford)
Andrew Lumsden (London)
Mary Lyon (Didcot)
Terry Magnuson (Case Western)
Gail Martin (San Francisco)
Bjorn Olsen (Harvard)
Scott Poethig (Pennsylvania)
Martin Raff (London)
Elizabeth Robertson (Columbia)
Janet Rossant (Toronto)
Joan Ruderman (Duke)
Matthew Scott (Stanford)
Jonathan Slack (Oxford)
Jim Smith (London)
Michael Sporn (Bethesda)
Claudio Stern (Oxford)
Gary Struhl (Columbia)
Chris Summerville (Michigan)
Azim Surani (Cambridge)
Masatoshi Takeichi (Kyoto)
Peter Thorogood (London)
David Weisblat (Berkeley)
Richard Whittaker (Woods Hole)
Jeff Williams (ICRF, Clare Hall)

Published by The Company of Biologists Limited, Cambridge

The Company of Biologists Limited, founded in 1925, is a 'Company Limited by Guarantee' having tax-exempt charitable status. There is a Board of Directors consisting of about 20 professional biologists, two of them appointed annually by the Society for Experimental Biology, who receive no salary or fees for their services. The Company's main function is to own and produce *The Journal of Experimental Biology*, the *Journal of Cell Science* and *Development*, and to appoint the Editors of these journals. These are part-time appointments held by established professional biologists of some eminence, and once they have been appointed the Company exercises no control over editorial policy.

The Company is precluded by its charitable status from making a commercial profit on its operations, and its aim is to produce high-quality journals at the lowest possible price. Any surplus on publishing not required for the journals' reserves is transferred to an Educational Trust Fund, which makes substantial grants in aid of societies concerned with the fields of interest covered by the Company's journals. Grants are also made to conferences and summer schools in the fields of its journals.

Typeset, Printed and Published by
The Company of Biologists Limited
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ

© The Company of Biologists Limited 1991

Contents

Volume 112 1991

Bowman, J. L., Smyth, D. R. and Meyerowitz, E. M.
Genetic interactions among floral homeotic genes of *Arabidopsis* 1

Mitani, S. and Okamoto, H.
Inductive differentiation of two neural lineages reconstituted in a microculture system from *Xenopus* early gastrula cells 21

Eccleston, P. A., Mirsky, R. and Jessen, K. R.
Spontaneous immortalisation of Schwann cells in culture: short-term cultured Schwann cells secrete growth inhibitory activity 33

Hunt, P., Wilkinson, D. and Krumlauf, R.
Patterning the vertebrate head: murine Hox 2 genes mark distinct subpopulations of premigratory and migrating cranial neural crest 43

Karagogeos, D., Morton, S. B., Casano, F., Dodd, J. and Jessell, T. M.
Developmental expression of the axonal glycoprotein TAG-1: differential regulation by central and peripheral neurons *in vitro* 51

Boisseau, S., Nedelec, J., Poirier, V., Rougon, G. and Simonneau, M.
Analysis of high PSA N-CAM expression during mammalian spinal cord and peripheral nervous system development 69

Pollin, M. M., McHanwell, S. and Slater, C. R.
The effect of age on motor neurone death following axotomy in the mouse 83

Aimar, C.
Cyclic changes in amphibian egg microvilli occur during the division cycle: implication of MPF 91

Brown, J. J. G. and Whittingham, D. G.
The roles of pyruvate, lactate and glucose during preimplantation development of embryos from F_1 hybrid mice *in vitro* 99

Houliston, E. and Elinson, R. P.
Patterns of microtubule polymerization relating to cortical rotation in *Xenopus laevis* eggs 107

Nagy, L. M., Booker, R. and Riddiford, L. M.
Isolation and embryonic expression of an *abdominal-A-like* gene from the lepidopteran, *Manduca sexta* 119

Huszar, D., Sharpe, A. and Jaenisch, R.
Migration and proliferation of cultured neural crest cells in W mutant neural crest chimeras 131

Zuccotti, M., Yanagimachi, R. and Yanagimachi, H.
The ability of hamster oolemma to fuse with spermatozoa: its acquisition during oogenesis and loss after fertilization 143

Dale, B., Santella, L. and Tosti, E.
Gap-junctional permeability in early and cleavage-arrested ascidian embryos 153

Xue, G. P., Rivero, B. P. and Morris, R. J.
The surface glycoprotein Thy-1 is excluded from growing axons during development: a study of the expression of Thy-1 during axogenesis in hippocampus and hindbrain 161

Servetnick, M. and Grainger, R. M.
Changes in neural and lens competence in *Xenopus* ectoderm: evidence for an autonomous developmental timer 177

Monk, M., Adams, R. L. P. and Rinaldi, A.
Decrease in DNA methylase activity during preimplantation development in the mouse 189

Hertle, M. D., Adams, J. C. and Watt, F. M.
Integrin expression during human epidermal development *in vivo* and *in vitro* 193

Frumkin, A., Rangini, Z., Ben-Yehuda, A., Gruenbaum, Y. and Fainsod, A.
A chicken *caudal* homologue, *CHox-cad*, is expressed in the epiblast with posterior localization and in the early endodermal lineage 207

Guthrie, S. and Lumsden, A.
Formation and regeneration of rhombomere boundaries in the developing chick hindbrain 221

Lambie, E. J. and Kimble, J.
Two homologous regulatory genes, *lin-12* and *glp-1*, have overlapping functions 231

Meier, T., Chabaud, F. and Reichert, H.
Homologous patterns in the embryonic development of the peripheral nervous system in the grasshopper *Schistocerca gregaria* and the fly *Drosophila melanogaster* 241

Graham, A., Maden, M. and Krumlauf, R.
The murine Hox-2 genes display dynamic dorsoventral patterns of expression during central nervous system development 255

Palmer, S. J. and Burgoyne, P. S.
In situ analysis of fetal, prepuberal and adult XX↔XY chimaeric mouse testes: Sertoli cells are predominantly, but not exclusively, XY 265

Contents

Gomer, R. H., Yuen, I. S. and Firtel, R. A.
A secreted 80×10^3 M_r protein mediates sensing of cell density and the onset of development in *Dictyostelium* 269

Püschel, A. W., Balling, R. and Gruss, P.
Separate elements cause lineage restriction and specify boundaries of *Hox-1.1* expression 279

Wilson, P. and Keller, R.
Cell rearrangement during gastrulation of *Xenopus*: direct observation of cultured explants 289

Baroffio, A., Dupin, E. and Le Douarin, N. M.
Common precursors for neural and mesectodermal derivatives in the cephalic neural crest 301

Sink, H. and Whitington, P. M.
Pathfinding in the central nervous system and periphery by identified embryonic *Drosophila* motor axons 307

Caizergues-Ferrer, M., Mathieu, C., Mariottini, P., Amalric, F. and Amaldi, F.
Developmental expression of fibrillarin and U3 snRNA in *Xenopus laevis* 317

Goldstein, R. S. and Kalcheim, C.
Normal segmentation and size of the primary sympathetic ganglia depend upon the alternation of rostrocaudal properties of the somites 327

Calzone, F. J., Höög, C., Teplow, D. B., Cutting, A. E., Zeller, R. W., Britten, R. J. and Davidson, E. H.
Gene regulatory factors of the sea urchin embryo. I. Purification by affinity chromatography and cloning of P3A2, a novel DNA-binding protein 335

Höög, C., Calzone, F. J., Cutting, A. E., Britten, R. J. and Davidson, E. H.
Gene regulatory factors of the sea urchin embryo. II. Two dissimilar proteins, P3A1 and P3A2, bind to the same target sites that are required for early territorial gene expression 351

Kam, Z., Minden, J. S., Agard, D. A., Sedat, J. W. and Leptin, M.
Drosophila gastrulation: analysis of cell shape changes in living embryos by three-dimensional fluorescence microscopy 365

Roth, S., Hiromi, Y., Godt, D. and Nüsslein-Volhard, C.
cactus, a maternal gene required for proper formation of the dorsoventral morphogen gradient in *Drosophila* embryos 371

Nishida, H.
Induction of brain and sensory pigment cells in the ascidian embryo analyzed by experiments with isolated blastomeres 389

Haub, O. and Goldfarb, M.
Expression of the fibroblast growth factor-5 gene in the mouse embryo 397

Hébert, J. M., Boyle, M. and Martin, G. R.
mRNA localization studies suggest that murine FGF-5 plays a role in gastrulation 407

Limbourg-Bouchon, B., Busson, D. and Lamour-Isnard, C.
Interactions between *fused*, a segment-polarity gene in *Drosophila*, and other segmentation genes 417

Gevers, P. and Timmermans, L. P. M.
Dye-coupling and the formation and fate of the hypoblast in the teleost fish embryo, *Barbus conchonius* 431

Talhouk, R. S., Chin, J. R., Unemori, E. N., Werb, Z. and Bissell, M. J.
Proteinases of the mammary gland: developmental regulation *in vivo* and vectorial secretion in culture 439

Zivkovic, D. and Dohmen, R.
Changes in transcellular ionic currents associated with cytokinesis and polar lobe formation in embryos of *Bithynia tentaculata* (Mollusca) 451

Grandin, N. and Charbonneau, M.
Intracellular pH and intracellular free calcium responses to protein kinase C activators and inhibitors in *Xenopus* eggs 461

Petzoldt, U.
Developmental profile of glucose phosphate isomerase allozymes in parthenogenetic and tetraploid mouse embryos 471

Simo, P., Simon-Assmann, P., Bouziges, F., Leberquier, C., Kedinger, M., Ekblom, P. and Sorokin, L.
Changes in the expression of laminin during intestinal development 477

Ansell, J. D., Samuel, K., Whittingham, D. G., Patek, C. E., Hardy, K., Handyside, A. H., Jones, K. W., Muggleton-Harris, A. L., Taylor, A. H. and Hooper, M. L.
Hypoxanthine phosphoribosyl transferase deficiency, haematopoiesis and fertility in the mouse 489

Clarke, J. D. W., Holder, N., Soffe, S. R. and Storm-Mathisen, J.
Neuroanatomical and functional analysis of neural tube formation in notochordless *Xenopus* embryos; laterality of the ventral spinal cord is lost 499

Morris, L., Graham, C. F. and Gordon, S.
Macrophages in haemopoietic and other tissues of the developing mouse detected by the monoclonal antibody F4/80 517

Fleming, T. P., Garrod, D. R. and Elsmore, A. J.
Desmosome biogenesis in the mouse preimplantation embryo 527

Haddon, C. M. and Lewis, J. H.
Hyaluronan as a propellant for epithelial movement: the development of semicircular canals in the inner ear of *Xenopus* 541

Roman, J., Little, C. W. and McDonald, J. A.
Potential role of RGD-binding intergrins in mammalian lung branching morphogenesis 551

Rollins, M. B. and Andrews, M. T.
Morphogenesis and regulated gene activity are independent of DNA replication in *Xenopus* embryos 559

Tam, L.-W. and Kirk, D. L.
The program for cellular differentiation in *Volvox carteri* as revealed by molecular analysis of development in a gonidialess/somatic regenerator mutant 571

Nagata, I. and Nakatsuji, N.
Rodent CNS neuroblasts exhibit both perpendicular and parallel contact guidance on the aligned parallel neurite bundle 581

Ellis, R. E. and Horvitz, H. R.
Two *C. elegans* genes control the programmed deaths of specific cells in the pharynx 591

Kaplony, A., Zimmermann, D. R., Fischer, R. W., Imhof, B. A., Odermatt, B. F., Winterhalter, K. H. and Vaughan, L.
Tenascin M_r 220 000 isoform expression correlates with corneal cell migration 605

Selleck, M. A. J. and Stern, C. D.
Fate mapping and cell lineage analysis of Hensen's node in the chick embryo 615

Wehrle-Haller, B., Koch, M., Baumgartner, S., Spring, J. and Chiquet, M.
Nerve-dependent and -independent tenascin expression in the developing chick limb bud 627

Owens, G. C. and Boyd, C. J.
Expressing antisense Po RNA in Schwann cells perturbs myelination 639

Whitby, D. J. and Ferguson, M. W. J.
The extracellular matrix of lip wounds in fetal, neonatal and adult mice 651

ESSAY IN DEVELOPMENT
De Robertis, E. M., Morita, E. A. and Cho, K. W. Y.
Gradient fields and homeobox genes 669

CONTRIBUTED PAPERS
Lehmann, R. and Nüsslein-Volhard, C.
The maternal gene *nanos* has a central role in posterior pattern formation of the *Drosophila* embryo 679

McCaffery, P., Tempst, P., Lara, G. and Dräger, U. C.
Aldehyde dehydrogenase is a positional marker in the retina 693

Heberlein, U., Mlodzik, M. and Rubin, G. M.
Cell-fate determination in the developing *Drosophila* eye: role of the *rough* gene 703

Schoenwolf, G. C. and Alvarez, I. S.
Specification of neurepithelium and surface epithelium in avian transplantation chimeras 713

Wilson, S. W. and Easter Jr., S. S.
Stereotyped pathway selection by growth cones of early epiphysial neurons in the embryonic zebrafish 723

Sato, S. M. and Sargent, T. D.
Localized and inducible expression of *Xenopus-posterior* (*Xpo*), a novel gene active in early frog embryos, encoding a protein with a 'CCHC' finger domain 747

Bate, M. and Martinez Arias, A.
The embryonic origin of imaginal discs in *Drosophila* 755

Perotto, S., Vandenbosch, K. A., Butcher, G. W. and Brewin, N. J.
Molecular composition and development of the plant glycocalyx associated with the peribacteroid membrane of pea root nodules 763

Sweeton, D., Parks, S., Costa, M. and Wieschaus, E.
Gastrulation in *Drosophila*: the formation of the ventral furrow and posterior midgut invaginations 775

Mackem, S. and Mahon, K. A.
Ghox 4.7: a chick homeobox gene expressed primarily in limb buds with limb-type differences in expression 791

Schughart, K., Bieberich, C. J., Eid, R. and Ruddle, F. H.
A regulatory region from the mouse *Hox-2.2* promoter directs gene expression into developing limbs 807

Rodriguez-Tébar, A. and Rohrer, H.
Retinoic acid induces NGF-dependent survival response and high-affinity NGF receptors in immature chick sympathetic neurons 813

Hatta, K., BreMiller, R., Westerfield, M. and Kimmel, C. B.
Diversity of expression of *engrailed*-like antigens in zebrafish 821

Serras, F. and Speksnijder, J. E.
F-actin localization during trochoblast differentiation in *Patella vulgata* embryos 833

Wei, L.-N., Chen, G.-J., Chu, Y.-S., Tsao, J.-L. and Nguyen-Huu, M. C.
A 3 kb sequence from the mouse cellular retinoic-acid-binding protein gene upstream region mediates spatial and temporal *LacZ* expression in transgenic mouse embryos 847

Nogawa, H. and Takahashi, Y.
Substitution for mesenchyme by basement-membrane-like substratum and epidermal growth factor in inducing branching morphogenesis of mouse salivary epithelium 855

Schedin, P., Hunter, C. P. and Wood, W. B.
Autonomy and nonautonomy of sex determination in triploid intersex mosaics of *C. elegans* 863

Khaner, O. and Wilt, F.
Interactions of different vegetal cells with mesomeres during early stages of sea urchin development 881

Irish, E. E. and Nelson, T. M.
Identification of multiple stages in the conversion of maize meristems from vegetative to floral development 891

ESSAY IN DEVELOPMENT
Finkelstein, R. and Perrimon, N.
The molecular genetics of head development in *Drosophila melanogaster* 899

CONTRIBUTED PAPERS
Fraser, S. E. and Bronner-Fraser, M.
Migrating neural crest cells in the trunk of the avian embryos are multipotent 913

Latham, K. E., Garrels, J. I., Chang, C. and Solter, D.
Quantitative analysis of protein synthesis in mouse embryos. I. Extensive reprogramming at the one- and two-cell stages 921

Kawahara, A., Baker, B. S. and Tata, J. R.
Developmental and regional expression of thyroid hormone receptor genes during *Xenopus* metamorphosis 933

Ruiz i Altaba, A. and Jessell, T. M.
Retinoic acid modifies the pattern of cell differentiation in the central nervous system of neurula stage *Xenopus* embryos 945

Roberts, C., Platt, N., Streit, A., Schachner, M. and Stern, C. D.
The L5 epitope: an early marker for neural induction in the chick embryo and its involvement in inductive interactions 959

Alexandre, H., Van Cauwenberge, A., Tsukitani, Y. and Mulnard, J.
Pleiotropic effect of okadaic acid on maturing mouse oocytes 971

Boyd, L., O'Toole, E. and Thummel, C. S.
Patterns of *E74A* RNA and protein expression at the onset of metamorphosis in *Drosophila* 981

Smith, A. V. and Orr-Weaver, T. L.
The regulation of the cell cycle during *Drosophila* embryogenesis: the transition of polyteny 997

Topping, J. F., Wei, W. and Lindsey, K.
Functional tagging of regulatory elements in the plant genome 1009

Weber, R., Blum, B. and Müller, P. R.
The switch from larval to adult globin gene expression in *Xenopus laevis* is mediated by erythroid cells from distinct compartments 1021

Tucker, R. P. and McKay, S. E.
The expression of tenascin by neural crest cells and glia 1031

Ausoni, S., de Nardi, C., Moretti, P., Gorza, L. and Schiaffino, S.
Developmental expression of rat cardiac troponin I mRNA 1041

Monaghan, A. P., Davidson, D. R., Sime, C., Graham, E., Baldock, R., Bhattacharya, S. S. and Hill, R. E.
The *Msh*-like homeobox genes define domains in the developing vertebrate eye 1053

Lienhard, M. C. and Stocker, R. F.
The development of the sensory neuron pattern in the antennal disc of wild-type and mutant (lz^3, ss^a) *Drosophila melanogaster* 1063

Gavis, E. R. and Hogness, D. S.
Phosphorylation, expression and function of the *Ultrabithorax* protein family in *Drosophila melanogaster* 1077

Muslin, A. J. and Williams, L. T.
Well-defined growth factors promote cardiac development in axolotl mesodermal explants 1095

Gallagher, B. C., Hainski, A. M. and Moody, S. A.
Autonomous differentiation of dorsal axial structures from an animal cap cleavage stage blastomere in *Xenopus* 1103

Deltour, L., Leduque, P., Paldi, A., Ripoche, M. A., Dubois, P. and Jami, J.
Polyclonal origin of pancreatic islets in aggregation mouse chimaeras 1115

Index of Authors and Titles 1123

Subject Index 1129